

JACK 58750D-405

Máquina de Alta Velocidad, 2
Agujas Electrónica




Large operation space

Operation length is 20 mm and height is 20 mm, jaw is 17 mm, more comfortable for operation.

Large capacity hook

With big hook design, thread amount increases 1.5 times than small hook. Greatly reduce the frequency of wire change, and improve the work efficiency.




Large display panel

Operation panel with LCD display, have functions of auto thread trimmer, start and end bar-tacking, needle position, auto wiper, model sewing and so on. User gently, operate with ease.



Minim oil supply

Sealed oil tank and minim oil supply to prevent oil stains on sewing material and improve the quality of the operation, maintain clean production.



Double row LED lights

Convenient to observe and alleviate visual fatigue.

Servo Motor

550W servo motor saves 55% power.



Mode	Needle	Stitch Length(mm)	Needle Guage	Height of Presser Foot(mm)	Sewing Speed(S.p.m)	Automatic Trimmer	Auto Matic Presser Lifting	Eletronic Tension Post	Vertical Hook (Large)	Heavy Material	Volume (mm)	Weight(kg)
JK-58420-003	#11-#16	4	0.25	7-13	4000						725*320*675	43/53.5
JK-58420-005	#14-#22	5	0.25	7-13	3000					√	725*320*675	43/53.5
JK-58450-003	#11-#16	5	0.25	7-13	3000						725*320*675	43/53.5
JK-58450-005	#14-#22	5	0.25	7-13	3000					√	725*320*675	43/53.5
JK-58720-003	#11-#16	7	0.25	7-13	3000				√		725*320*675	43/53.5
JK-58720-005	#14-#22	7	0.25	7-13	3000				√	√	725*320*675	43/53.5
JK-58750-003	#11-#16	7	0.25	7-13	3000				√		725*320*675	43/53.5
JK-58750-005	#14-#22	7	0.25	7-13	4000				√	√	725*320*675	43/53.5
JK-58420D-403	#11-#16	4	0.25	7-13	3000	√	√	√			725*320*675	50/60
JK-58420D-405	#14-#22	5	0.25	7-13	3000	√	√	√		√	725*320*675	50/60
JK-58450D-403	#11-#16	5	0.25	7-13	3000	√	√	√			725*320*675	50/60
JK-58450D-405	#14-#22	5	0.25	7-13	3000	√	√	√		√	725*320*675	50/60
JK-58720D-403	#11-#16	7	0.25	7-13	3000	√	√	√	√		725*320*675	50/60
JK-58720D-405	#14-#22	7	0.25	7-13	3000	√	√	√	√	√	725*320*675	50/60
JK-58750D-403	#11-#16	7	0.25	7-13	3000	√	√	√	√		725*320*675	50/60
JK-58750D-405	#14-#22	7	0.25	7-13	3000	√	√	√	√	√	725*320*675	50/60

- Cangrejo jumbo ideal para todo tipo de prendas finas, intermedias y gruesas.
- Pespunte duradero con engrase automático, ajuste de longitud de puntada y costura invertida
- Motor incorporado de bajo consumo.

